

Sept. 18, 1901); Back Bay, Boston (*T. O. Fuller*, Sept. 25, 1885); St. Botolph St., Boston (*E. F. Williams*, Sept. 13, 1895). Introduced from middle states.

X. SPINOSUM L. Waste places, especially near mills, rare (12 stations).

X. STRUMARIUM L. Woolwaste, N. Chelmsford (*W. P. Alcott*, according to *Dame & Collins*, Fl. Middlesex Co. 51, 1888); Crescent Beach, Revere (*M. L. Fernald*, Oct. 20, 1912).

X. WOOTONI Cockerell. Made land, S. Boston flats (*W. Deane*, Oct. 4, 1909; *W. S. Ripley, Jr.*, Oct. 8, 1915). Adventive from southwestern United States.

C. H. KNOWLTON	}	<i>Committee on Local Flora.</i>
WALTER DEANE		

SAXIFRAGA AIZOON ON MT. KTAADN.—On August 17, 1923, eight members of the Appalachian Mountain Club made the ascent of the Chimney on Mt. Ktaadn, Maine. On starting up a steep bank to avoid climbing in the brook, the writer came upon several colonies of *Saxifraga Aizoon* Jacq. The plants looked like some sort of cactus and quite out of place in that cold ravine. Although they seemed thrifty, there was no sign of any flowers, old or young. The larger plants had sent out new ones on runners so that when I attempted to gather a specimen, many others came up with it. This Saxifrage is a plant commonly of calcareous regions, but Ktaadn is granitic. The specimens collected, which are the first from Maine, are in the Gray Herbarium.

There was colony after colony of *Saxifraga stellaris* L. var. *comosa* Willd. all the way to the top of the Chimney. We found it also near the top of the west wall of the Great Basin.—RACHEL L. LOWE, Portland, Maine.

*Vol. 26, no. 306, including pages 113 to 132 and plate 144, was issued 5 July, 1924.*

*The date of the July issue (unpublished as this goes to press) will be announced later.*